


Paint Effects

Safari



**Fine Sandy
Metallic
Decorative Effect
in a Wild Dune
Look**



Example Application: Safari in the shade of SP117

Shades Based on Perlato Base:



SP113 Savanna Route



SP112 Namibia Deserts



SP111 Soft Dune




SP110 Desert Charm



SP117 Desert Journey



SP116 Desert Rose



SP115 Zanzibar Sands



SP114 Desert Winds



SP121 Snow on the Kilimanjaro



SP120 Mangueira Lake



SP119 Moon on the Desert Prairie



SP118 Desert Twilight



SP125 Oasis



SP124 Kenya Shores



SP123 Victoria Falls



SP122 Desert Night

Safari

Fine Sandy Metallic Decorative Effect in a Wild Dune Look



Shades Based on Oro Base:



SO210 Desert Queen



SO212 Golden Dust



SO211 Golden Land



SO213 Wild Gold



SO216 Zanzibar Cinnamon



SO215 Sunset in Botswana




SO214 Spotted Leopard

Shades Based on Natural Base:



SN314 Nocturnal Journey



SN313 Sand Dune



SN312 Desert Dawn




SN311 Mirage



SN317 Serengeti Prairie



SN316 Massey Preservation



SN315 Swept Desert

Safari Natural is also available in Neutrals shades in the shades spectrum fandeck





Shades Based on Glittering Perlato Base:



SPG413 Savanna Route



SPG412 Namibia Deserts



SPG411 Soft Dune



SPG410 Desert Charm




SPG417 Desert Journey



SPG416 Desert Rose



SPG415 Zanzibar Sands



SPG414 Desert Winds



SPG421 Snow on the Kilimanjaro



SPG420 Mangueira Lake



SPG419 Moon on the Desert Prairie



SPG418 Desert Twilight



SPG425 Oasis



SPG424 Kenya Shores




SPG423 Victoria Falls



SPG422 Desert Night



Safari Application Method:




Stage 1

Verify that the wall is clean and smooth. Apply a quartz primer or one of the Supercryl products in the nearest shade to the Safari shade you chose.



Stage 2

Stir the Safari paint thoroughly. Dip a 3" or a 4" brush in the Safari paint and apply a small amount of paint on the wall in wide diagonal movements.



Stage 3

Continue to "play" freely with the paint on the wall and apply again and again until 'islands' of dune-like texture are created next to smooth paint areas.



It is recommended to read the technical sheet of the product at Tambour website www.tambourpaints.com

www.tambourpaints.com

Tambour Ltd., P.O. Box 8488, Netania South Industrial Zone 42504.



Tambour encourages green building

Tambour offers a wide range of products for walls, wood and metal, displaying the green label of the Standards Institute



YOUR IMAGINATION...OUR PAINT.

